

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L19 and quer\$3	11

**Database:**

US Patents Full-Text Database  
US Pre-Grant Publication Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Search:**

L20

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE: Sunday, May 18, 2003**[Printable Copy](#)[Create Case](#)

**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L20</u>	L19 and quer\$3	11	<u>L20</u>
<u>L19</u>	L18 and (document\$2 near2 schem\$2)	11	<u>L19</u>
<u>L18</u>	L17 and schem\$2	118	<u>L18</u>
<u>L17</u>	L16 and (unique adj2 identif\$)	226	<u>L17</u>
<u>L16</u>	L14 and (document\$2 adj2 retriev\$)	1030	<u>L16</u>
<u>L15</u>	L14 and (document\$2 near2 retriev\$)	1431	<u>L15</u>
<u>L14</u>	((707/\$)!.CCLS.)	15555	<u>L14</u>
<u>L13</u>	(document\$2 near2 retriev\$) same (unique same identifier same value)	19	<u>L13</u>
<u>L12</u>	L11 not L5	0	<u>L12</u>
<u>L11</u>	L5 and map\$	9	<u>L11</u>
<u>L10</u>	L8 and ((compar\$ or map\$) near2 attribute\$2)	22	<u>L10</u>
<u>L9</u>	L8 and ((unique adj2 identif\$) near5 data)	1	<u>L9</u>
<u>L8</u>	L7 and quer\$3	64	<u>L8</u>
<u>L7</u>	L6 and (schem\$ near2 file\$2)	89	<u>L7</u>
<u>L6</u>	(L3 or L4) and map\$	4071	<u>L6</u>
<u>L5</u>	L3 and L1	10	<u>L5</u>
<u>L4</u>	L3 and L2	1062	<u>L4</u>
<u>L3</u>	document\$2 same retriev\$	16784	<u>L3</u>
<u>L2</u>	"unique identifier"	11604	<u>L2</u>
<u>L1</u>	"unique identifier value"	65	<u>L1</u>

END OF SEARCH HISTORY

**WEST**

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

**Search Results -**

Terms	Documents
L3 and L1	10

Database:

US Patents Full-Text Database  
 US Pre-Grant Publication Full-Text Database  
 JPO Abstracts Database  
 EPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

**Search History**DATE: Sunday, May 18, 2003 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L5</u>	L3 and L1	10	<u>L5</u>
<u>L4</u>	L3 and L2	1062	<u>L4</u>
<u>L3</u>	document\$2 same retriev\$	16784	<u>L3</u>
<u>L2</u>	"unique identifier"	11604	<u>L2</u>
<u>L1</u>	"unique identifier value"	65	<u>L1</u>

END OF SEARCH HISTORY



> home > about > feedback > login  
US Patent & Trademark Office

## Search Results

Search Results for: [schem\* <paragraph> document <near> retriev\*  
<paragraph> identif\* <paragraph> quer\* <paragraph> (schem\* <near> file)]  
Found 4 of 110,178 searched. → Rerun within the Portal

Search within Results



> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 1 - 4 of 4 short listing

- 1 Composite document extended retrieval: an overview 100%  
 Edward A. Fox  
 Proceedings of the 8th annual international ACM SIGIR conference on Research and development in information retrieval June 1985  
 Experimental information retrieval (IR) systems, some dating back to the sixties, have demonstrated the viability of fully automatic document storage and retrieval methodologies with small to medium size bibliographic collections [72]. Many of these experimental systems utilize the vector space model in which each important term (such as a word stem) identifies a different dimension in a space, so that matrix methods and vector operations can be defined on queries and documents. Statistical ...
- 2 Index structures for structured documents 100%  
 Yong Kyu Lee , Seong-Joon Yoo , Kyoungro Yoon , P. Bruce Berra  
 Proceedings of the first ACM international conference on Digital libraries April 1996
- 3 Fast evaluation of structured queries for information retrieval 100%  
 Eric W. Brown  
 Proceedings of the 18th annual international ACM SIGIR conference on Research and development in information retrieval July 1995
- 4 Organization of clustered files for consecutive retrieval 100%  
 J. S. Deegan , M. M. Baghayan , T. K. W. Tsou

 J. S. Deogun , V. V. Raghavan , I. K. W. Tsou

ACM Transactions on Database Systems (TODS) December 1984  
Volume 9 Issue 4

This paper studies the problem of storing single-level and multilevel clustered files. Necessary and sufficient conditions for a single-level clustered file to have the consecutive retrieval property (CRP) are developed. A linear time algorithm to test the CRP for a given clustered file and to identify the proper arrangement of objects, if CRP exists, is presented. For the single-level clustered files that do not have CRP, it is shown that the problem of identifying a storage organization w ...

---

**Results 1 - 4 of 4      short listing**

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.